

PATENT
10/047,095

1 1. (currently amended) In a computer controlled communica-
2 tion network with user access via a plurality of data pro-
3 cessor controlled interactive receiving display stations for
4 displaying received hypertext documents of at least one
5 display page containing text, images and a plurality of
6 embedded hyperlinks, each hyperlink being user selectable to
7 access and display a respective linked document, a system at
8 a receiving display station for delayed viewing of designat-
9 ed linked documents comprising:

10 means enabling a user to designate a plurality of
11 hyperlinks in received documents for subsequent viewing;

12 means for storing a set of said designated hyperlinks
13 separate from any hypertext document; and

14 means for selecting said stored hyperlinks to thereby
15 access and display their respective linked documents.

1 2. (original) The communication network system of claim 1
2 wherein said network is the World Wide Web (Web), and said
3 hypertext documents are Web pages.

1 3. (original) The communication network system of claim 1
2 further including:

3 means for selecting said stored hyperlinks to thereby
4 access and cache their respective linked documents; and

5 means enabling the user to selectively display said
6 cached documents.

AUS920010906US1

BEST AVAILABLE COPY

OCT-21-05 05:16 AM JB.KRAFT

512 473 8803

P.10

PATENT
10/047,095

1 4. (original) The communication network system of claim 3
2 wherein said means enabling the user to selectively display
3 said cached documents are off-line from said communication
4 network.

1 5. (original) The communication network system of claim 1
2 further including:
3 means for deleting each of said designated stored
4 hyperlinks when each of their respective linked designated
5 documents is displayed.

1 6. (original) The communication network system of claim 2
2 wherein said system at said receiving display station fur-
3 ther includes a user interactive Web browser, said browser
4 including:
5 said means enabling a user to designate a plurality of
6 hyperlinks in received documents for subsequent viewing;
7 said means for storing said designated hyperlinks; and
8 said means for selecting said stored hyperlinks to
9 thereby access and display their respective linked docu-
10 ments.

1 7. (original) The communication network system of claim 6
2 wherein said interactive Web browser further includes:
3 means for selecting said stored hyperlinks to thereby
4 access and cache their respective linked documents; and
5 means enabling the user to selectively display said
6 cached documents.

AUS920010906US1

PATENT
10/047,095

1 8. (currently amended) In a computer controlled communica-
2 tion network with user access via a plurality of data pro-
3 cessors controlled interactive receiving display stations for
4 displaying received hypertext documents of at least one
5 display page containing text, images and a plurality of
6 embedded hyperlinks, each hyperlink being user selectable to
7 access and display a respective linked document, a method
8 for delayed viewing of designated linked documents at a
9 receiving display station comprising:
10 enabling a user to designate a plurality of hyperlinks
11 in received documents for subsequent viewing;
12 storing a set of said designated hyperlinks separate
13 from any hypertext document; and
14 selecting said stored hyperlinks to thereby access and
15 display their respective linked documents.

1 9. (original) The communication network method of claim 8
2 wherein said network is the web, and said hypertext docu-
3 ments are web pages.

1 10. (currently amended) The communication network method of
2 claim 7 8 further including the steps of:
3 selecting said stored hyperlinks to thereby access and
4 cache their respective linked documents; and
5 enabling the user to selectively display said cached
6 documents.

1 11. (original) The communication network method of claim 10
2 wherein said step enabling the user to selectively display
3 said cached documents is performed off-line from said commu-
4 nication network.

AUS920010906US1

4

AUS920010906US1

9